

## DP-C266 Multifunction Colour System

Panasonic's unique IH fusing technology for quick warm-up and low energy consumption

Network Scanner, Scan-to-Email standard

Convenient SD Memory Card Interface

Superior Print Quality

User-Friendly Large LCD Display

Enhanced Security Features



Copier, Printer, Scanner, Internet-Fax

### General

<b>Type</b>	Semi Console
<b>Copy/Print Process</b>	Dry Electrostatic System
<b>Developing Process</b>	Dry Dual Component, Trickle
<b>Fusing Method</b>	Induction Heating (IH) System

### Paper Feed

<b>Standard</b>	A3-A5
<b>Optional paper tray</b>	A3, A4, A4-R, A5-R, B4, FLS
<b>Max.</b>	A3

### Paper Weight

<b>Paper Tray</b>	64-169 g/m <sup>2</sup>
<b>Bypass</b>	15-40 lb (Glossy) / 90-140 lb (Index) 55-256 g/m <sup>2</sup>

### Power Supply

<b>Hertz</b>	50 / 60 Hz
<b>Voltage (V)</b>	220 - 240 V

### Power Consumption

<b>Maximum</b>	Less than 1500 W
<b>Power save mode</b>	75 W

<b>Sleep Mode</b>	15 W
<b>Warmup Time</b>	15 sec.
<b>Weight (kg)</b>	164.0

#### Optional components

<b>Finisher with stapling</b>	yes
-------------------------------	-----

#### Digital Copier

#### Multi-Copy Speed (ppm)

<b>B/W</b>	26.0
<b>Colour</b>	26.0

#### Copy Ratio

<b>Enlargement</b>	Selected Copy size
<b>Reduction</b>	Select Copy size
<b>Zoom</b>	25 - 400%
<b>Duplex system for copying and printing</b>	yes

#### Main Memory Capacity (Mb)

<b>Standard</b>	512.0
<b>Maximum</b>	768.0

#### Sort Memory Capacity (Mb)

<b>Standard</b>	30000.0
<b>Maximum</b>	30000.0

#### Printer

<b>Network Printer Interface</b>	Ethernet 10Base-T / 100Base-TX
<b>Communication Protocol</b>	TCP/IP (LPD [Portr9100/RAW], SNMP, DHCP, SMB), Appletalk (PS), IPP (PCL, PS), IPv4, IPv6 Dual Stick
<b>Local Printer Interface</b>	USB 2.0

#### Page Description Language

<b>Standard</b>	PCL6
<b>Option</b>	PS3

#### Speed (ppm)

<b>Colour</b>	26.0
<b>B/W</b>	26.0

#### Paper Size

<b>Paper Tray</b>	A4, B5
-------------------	--------

<b>Bypass</b>	A3, A4, A4-R, A5, A5-R, B4, FLS
<b>Printing Resolution</b>	max. 1200 x 1200 dpi

### Printer Memory (Mb)

<b>Standard</b>	512.0
<b>Maximum</b>	768.0

### Scanner

#### Scanning Speed

<b>Colour</b>	Vertical 1.0 sec; Horizontal 0.7 sec
<b>B/W</b>	Vertical 1.0 sec; Horizontal 0.7 sec
<b>Scanning Resolution</b>	Std. 203 x 98 (8 x 3.85), Fine 203 x 196 (8 x 7.7), S-Fine 203 x 391 (8 x 15.4), 406 x 391 (16 x 15.4), 600dpi 600 x 600 dpi

### Fax

<b>Modem Speed</b>	max. 33600 bps
<b>Scanning Speed</b>	600dpi: 600 x 600 - Vertical 2.0 sec; Horizontal 1.4 sec
<b>Transmission Speed</b>	Approx. 2 sec

#### Scanning Resolution

<b>Standard</b>	203 x 98 (8 x 3.85)
<b>Fine</b>	203 x 196 (8 x 7.7)
<b>Super Fine</b>	203 x 391 (8 x 15.4) 406 x 391 (16 x 15.4)
<b>600dpi</b>	600 x 600 dpi
<b>Maximum Original Size</b>	LDR (11 x 17 in) / A3 (297 x 420 mm)
<b>Standard Memory</b>	3 MB
<b>Optional Memory</b>	96 MB (64 MB - 4 GB)