

DP-8016P WORKiO



16 ppm Digital Printing / Copying

Standard Network Printing

User Authentication

Security Features

WORKiO 16 ppm Digital Copier

General

Type	Desktop
Copy/Print Process	Laser Indirect Electrostatic
Developing Process	Dry Dual Component
Inverting Automatic Document Feeder	50 sheets (A4, 75 g/m ²)

Paper Feed

Standard	A3 - A5
Maximum	A3

Paper Weight

Paper Tray	60 to 90 g/m ²
Bypass	55 to 133 g/m ²

Power Supply

Hertz	50 - 60 Hz
Voltage (V)	220 - 240 V AC

Power Consumption

Sleep mode	9,5 W
Warmup Time	Approx. 30 seconds

Weight (kg)	44.0
-------------	------

Optional components

Finisher with stapling	no
------------------------	----

Offset	no
--------	----

Hole punching and binding	no
---------------------------	----

Digital Copier

First Copy Speed (secs.)

B/W	6.9
-----	-----

Greyscale	256 steps
-----------	-----------

Multi-Copy Speed (ppm)

B/W	16.0
-----	------

Maximum Original Size	DIN A3
-----------------------	--------

Copy Size	A3 - A5
-----------	---------

Copy Ratio

Enlargement	200%, 173%, 141%, 122%, 115%
-------------	------------------------------

Reduction	87%, 82%, 71%, 58%, 50%
-----------	-------------------------

Zoom	50 - 200 %
------	------------

Multiple Copy	999
---------------	-----

Exposure Control	Text/Text - Photo/Photo Modes
------------------	-------------------------------

Paper Capacity

Standard	600
----------	-----

Maximum	1.150
---------	-------

Sort Memory Capacity (Mb)

Standard	16.0
----------	------

Maximum	144.0
---------	-------

Printer

Network Printer Interface	10-BaseT / 100-BaseTX-Ethernet
---------------------------	--------------------------------

Communication Protocol	TCP/IP, LPD (LPR), IPP, Ethertalk, SNMP, DHCP
------------------------	---

Local Printer Interface	USB 1.1
-------------------------	---------

Page Description Language

Standard	GDI
----------	-----

Option	PCL5e/XL, PDL6, PostScript 3
--------	------------------------------

Speed (ppm)

B/W	16.0
------------	------

Paper Size

Paper Tray	A3 - A5
-------------------	---------

Bypass	A3 - Envelope DL
---------------	------------------

Printing Resolution	Max. 1200 x 600 dpi
----------------------------	---------------------

Printer Memory (Mb)

Standard	20.0
-----------------	------

Compatible Client Operating Systems	Windows XP / 2003 Server / 2000 / 98 / Me, Mac OS 8.6 - 10.4, Unix, Linux
--	---

Scanner

Fax

Available as option	no
----------------------------	----

