

DP-8060 WORKiO

60 CPM

70 Sheet Duplex Document Feeder

Electronic Sort

Parallel Printer Port

Network Interface Card



60ppm Digital Input and Output System with Advanced Network and Job Management Capability

General

Type	Semi Console
Copy/Print Process	Laser Indirect Electrostatic
Developing Process	Dry Dual Component
Inverting Automatic Document Feeder	70 sheets (A4, 80 g/m ²)

Paper Feed

Standard	1550 + 550 sheets
Maximum	6,250 sheets with option

Paper Weight

Paper Tray	60 - 90 g/m ²
Bypass	55 - 133 g/m ²

Power Supply

Herz (Hz)	50 - 60 Hz
Voltage (V)	220 -240 V AC

Power Consumption

Maximum	1,5 kW
Power save mode	180 W

Sleep mode	20 W
Warmup Time	Approx. 180 seconds
Weight (kg)	117.0

Optional components

Finisher with stapling	yes
Offset	yes
Hole punching and binding	yes

Digital Copier

First Copy Speed (secs.)

Colour	3.0
B/W	3.0

Resolution

Up to 1200 x 1200 dpi	no
Greyscale	256 steps

Multi-Copy Speed (ppm)

B/W	60.0
Maximum Original Size	DIN A3
Copy Size	A3 - A5 (fixed)

Copy Ratio

Enlargement	200%, 173%, 141%, 122%, 115%
Reduction	87%, 82%, 71%, 58%, 50%
Zoom	25 - 400 %
Multiple Copy	999
Exposure Control	Text, Text/Photo, Photo

Paper Capacity

Standard	2150
Maximum	6250

Main Memory Capacity (Mb)

Standard	32.0
Maximum	160.0

Sort Memory Capacity (Mb)

Standard	32.0
Maximum	160.0

Printer

Network Printer Interface	10-BaseT/ 100-BaseTX-Ethernet
Communication Protocol	TCP/IP (LPD, RAW/Port9100, SNMP, DHCP) AppleTalk (only PS), LPD (LPR), IPP*1, FTP, IPX/SPX
Local Printer Interface	bi-directional parallel

Page Description Language

Standard	GDI
Option	PCL5e, PCL6, PostScript® Level 3™

Speed (ppm)

B/W	60.0
------------	------

Paper Size

Paper Tray	A3 - A5
Bypass	A3 - A5
Printing Resolution	600 dpi

Printer Memory (Mb)

Standard	50.0
Compatible Client Operating Systems	Windows Vista / XP / 2000 / 98 / Me / NT 4.0, (MAC OS 8.X - X.1 (only PS). Others on request)

Scanner

Network Scanner Interface	10-BaseT/ 100-BaseTX-Ethernet
Communication Protocol	TCP/IP (LPR, FTP)
Maximum Scanning Size	A3

Scanning Speed

B/W	60
Scanning Resolution	600 dpi
Compatible Client Operating Systems	Windows (R) Vista/XP/2000/98/Me, Windows NT (R) 4.0, Server 2003x32 bit / x64 bit Version, Mac OS 8.6 to OS X 10.4 (only with Post-Script). Novel Netware 3 to 6.5, (NPS, Bindery, NPDS). IBM AS/400® Version 5R1 and higher. On request: Linux and Unix (only with Post-Script)

Data Format

B/W	TIFF-F, PDF
------------	-------------

Fax

Compatibility

G3 Fax	ITU-T G3
Internet Fax	ECM (Fax)

Communication Protocol	TCP/ IP, (RAW/ Port9100,DHCP), LDAP,IPX/ SPX
Modem Speed	33,6 kbps
Coding Scheme	JBIG/ MMR/ MR/ MH
Scanning Speed	0,7 sec./page
Transmission Speed	Approx. 3 sec./page

Scanning Resolution

Standard	8 dots/mm x 3.85 lines/mm
Fine	8 dots/mm x 7.7 lines/mm
Super Fine	16 dots/mm x 15.4 lines/mm
600dpi	600 dpi x 600 dpi
Maximum Original Size	A3
Effective Scanning Width	292 mm
Recording Resolution	600 dpi x 600 dpi
Standard Memory	3 MB
Optional Memory	max. 11 MB